

# WALLBOX AC EV CHARGING STATION (07-22 KW)



## Compact and Beautiful Design

Modern, streamlined design with modular functionality, tailored to meet varied user needs

## Easy to Operate

IP55 waterproofing, flame-resistant materials, and robust protections ensure reliable performance.

## Safety and Durable

Switch between charging modes effortlessly using smart app controls or a simple card tap.

## Innovation

Quick installation, easy maintenance, and user-friendly features simplify operation.

	Model	GNS1-ENCA007-22K		
	Input Type	1P + N + PE	3P + N + PE	3P + N + PE
Input Parameter	Rated Voltage	230 VAC + 10%	380 VAC + 10%	380 VAC + 10%
	Frequency	50 HZ / 60 HZ		
	Number of output ports	1		
Output Parameter	Rated Current	230 VAC + 10%	380 VAC + 10%	380 VAC + 10%
	Rated Power	7.4Kw	11kw	22kw
Safety	Electrical Protection	Over/under voltage protection, Overcurrent protection, Short circuit protection, Over temperature protection, Lightning protection, ground protection, Type A/EmA DC		
	RCD			
	Protection Level			
	Impact Protection	IP55		
	Certifications	IK10 (display is IK08)		
	Standards	CE		
	Operating Temperature	IEC61851-1/-21, IEC62196-1/-2, SAE J1772		
Communication	Storage Temperature	-25°C to +55°C		
	Altitude	40°C to +70°C		
	Humidity	<2000m		
	Energy Metering	5-95% non-condensing		
	HMI	Accuracy Class 1.0 energy meter		
Basic Parameter	Plug Cable Length	4.3 inch LCD		
	Communication	5m		
	Protocol	Bluetooth/WiFi/Ethernet/4G LTE(Optional)		
	Installation Method	OCPP-1.6(JSON)		
	Connector Method	Type 2 GB/T Type1		
	Shell Colour	Wall-mount/column-mount		
	Shell Material	Metallic grey		
	Start Mode	(ABS+PC-Blend)		
	Place of Installation	RFID Card/QR Code/Password		
	Product Dimensions (W*D*H)	Indoor/Outdoor 258*165*378mm		